QUICK FACTS

Pierce's Disease and GWSS

Scientific name of GWSS: Homalodisca coagulata

Description of GWSS: Adults are 1/2-inch long, dark brown color with small yellow

dots on head and thorax. Wing membranous, translucent,

with reddish veins.

How damage is caused: GWSS is a sucking insect that extracts fluid from host plants.

This feeding can spread lethal diseases to host plants just as mosquitoes can transmit malaria in humans. The pest is highly mobile and can feed on and spread disease to many

plants in a day.

Bacterium spread by GWSS: Xylella fastidiosa

Diseases* vectored by GWSS Pierce's Disease (grapes) (strains of *Xylella fastidiosa*): Almond leg scorch (almonds)

Alfalfa dwarf (alfalfa)

Oleander leaf scorch (oleander) Phony peach disease (peaches)

Plum leaf scald (plums)

Citrus variegated chlorosis (citrus)

How disease kills plants: The bacterium attacks a plant's xylem (water-conducting

vessels), clogging it

How long Pierce's disease has Since at least the 1880s, when it wiped out 40,000 acres of

been in state: winegrapes in the Los Angeles Basin

GWSS host plants: Over 100 species of plants

GWSS first sighted in California: 1989

Distribution: Southeastern United States and northeastern Mexico.

Range has extended into southern and central California

Number of counties with GWSS-infested areas (2004): 14: Fresno, Imperial, Kern, Los Angeles, Orange, Riverside, Sacramento, San Bernardino, San Diego, Santa Barbara, Santa

Clara, Solano, Tulare, Ventura

Threat to state: \$14 billion in farmgate value of affected crops



The Fight Against Pierce's Disease and the Glassy-Winged Sharpshooter

Industry and Government Working Together

It wasn't a battle anyone was looking for or even expected. A small bug, the glassy-winged sharpshooter (GWSS), an invader from outside the state, seemed like a rather benign pest when first discovered in Southern California in the early 1990s.

But in 1999, grape vines started dying on a massive scale in Temecula. A century old wine industry foe, Pierce's Disease (PD), was hitting the area hard. It had long been known that native sharpshooters carried PD but generally did not cause widespread epidemics. However, that wasn't true of the newly introduced GWSS. In a short time it had spread the disease throughout the vineyards of Temecula and was poised to do the same throughout California, seriously jeopardizing the state's \$45 billion wine and grape industry.

Winegrape growers throughout California formed alliances to find ways to halt the spread of the GWSS and to find a treatment for the Pierce's Disease it was carrying. Measures were quickly put in place to control and contain the spread of the disease, and the state government authorized emergency funds for containment programs and research. But industry leaders soon recognized that containment of the GWSS was only a short-term answer. The real solution

would be to find a cure or treatment for PD.

In 1999, the California Department of Food and Agriculture appointed the Pierce's Disease Advisory Task Force to advise the Department on research and management of PD/GWSS. In 2001, winegrape growers aggressively lobbied for Assembly Bill 1394 to establish an assessment on themselves to fund research, with an advisory board (the Pierce's Disease and Glassy-Winged Sharpshooter Board) also created to recommend how the assessment was used. The 15-member board, comprised of winegrape and vintner growers, develops recommendations for spending the approximately \$4 million raised each year by the assessment, directing those funds to promising research projects and other program activities that will most benefit the industry.

To date the assessment has raised approximately \$14 million and funded nearly 100 research projects. But perhaps even more importantly, the assessment has been a catalyst for raising other monies to help in the fight against PD/GWSS. Legislators charged with approving additional funds recognize the importance of the industry's initiative in assessing itself, indicating that the growers are taking this fight seriously and deserve the government's help.



Pierce's Disease and Glassy-winged Sharpshooter BOARD

KEVIN ANDREW

Sun World International, Inc. (661) 392-5002 kandrew@swiinc.com

DENNIS ATKINSON

Tejon Ranch Company (661) 663-4240 Atkinson@tejonranch.com

GREGORY COLEMAN

E & J Gallo Winery (209) 341-4630 greg.coleman@ejgallo.com

EDGAR "PETE" DOWNS, VICE CHAIR

Kendall-Jackson Wine Estates (707) 525-6233 petedowns@compuserv.com

BEN R. DRAKE

Drake Enterprises, Inc. (951) 775-5500 drake@speedband.com

HUGH "WALLY" EWART*, PD.D.

California Citrus Quality Council (530) 885-1894 ccqc1946@pacbell.net

BRADFORD LANGE, CHAIR

Lange Twins, Inc. (209) 339-4055 brad@langetwins.com

FRANK LEEDS

Chavez & Leeds Vineyards (707) 963-4704 frank@frogsleap.com

STEVE McIntyre

Monterey Pacific, Inc. (831) 678-4845 Monterey pacific@msn.com

DANA MERRILL

Mesa Vineyard Management, Inc. (805) 434-4100 dmerrill@mesavineyard.com

ALBERT ROSSINI

Rossini Farming Company, Inc. (209) 538-1794 rossinifarming@aol.com

HERB SCHMIDT

Robert Mondavi Winery (707) 968-2218 Herb.Schmidt@robertmondavi.com

ROBERT STEINHAUER

Beringer Blass Wine Estates (707) 963-2969 Robert.steinhauer@beringerblass.com

JAMES GLEN UNTI, TREASURER

Canandaigua Wine Company (559) 661-5604 jim.unti@cwine.com

PAUL WULF

Wulf Vineyards (559) 246-5291 paul_wulf@yahoo.com

* Public Member



For more information, contact Brown-Miller Communications at (925) 370-9777 or bmc@browmillerpr.com





Pierce's Disease has been present in California since 1884. Caused by a strain of the bacterium *Xylella fastidiosa*, Pierce's Disease kills grapevines by clogging their water-conducting vessels (xylem). The Disease has caused sizable losses in California viticulture in the past, but the damage occurred primarily in traditional "hotspot" areas. Until recently, the damage was not severe enough to completely prevent grape production in affected areas.

The situation changed dramatically with the arrival of the Glassy-Winged Sharpshooter (GWSS) in the 1990s. GWSS is native to the southeastern United States and northeastern Mexico. It feeds on the xylem fluid of a large number of plants. The Sharpshooter builds up large populations on a diverse array of host plants and is an aggressive flyer, traveling greater distances than native Sharpshooters.

Viticulture in traditionally safe-growing regions is now at risk from the Disease. California's first indication of the severe risk posed by this new disease and vector combination occurred in Temecula, Riverside County, in August 1999, when over 300 acres of grapevines infested with the Glassy-Winged Sharpshooter were destroyed by Pierce's Disease. Counting only grapes, the Disease now threatens a crop production value of \$3.2 billion and associated economic activity in excess of \$33 billion. Other crop and ornamental plant resources, such as almonds (\$897 million) and susceptible species of citrus (\$1.07 billion), stone fruits (\$905 million) and shade trees, are also at risk, either from the Pierce's Disease strain of the bacterium or from related strains found elsewhere in the world.

Scientists believe that the Glassy-Winged Sharpshooter has the potential to increase both the incidence and severity of Pierce's Disease in California. The combination of Pierce's Disease and the Glassy-Winged Sharpshooter constitutes an unprecedented threat to California's multi-billion dollar grape and wine industry as well as to almonds, oleander, and other crop and ornamental plants.



SHARPSHOOTER IS A MULTIPLE THREAT

The Glassy-Winged Sharpshooter is a serious threat to the state's economy and ecology. This pest has the potential to seriously disrupt the state's agricultural economy and the 1.1 million jobs that are related to agriculture. But it also is a threat to the quality of life of all Californians and could imperil the state's native habitat.

The threat of the Glassy-Winged Sharpshooter and Pierce's Disease is widely known in the state's grape industry. The state's 450,000-plus acres of winegrapes are at risk of potential infection by Pierce's Disease. More than 330,000 acres of raisin and table grapevines are also in jeopardy. The

GWSS is an effective vector for Pierce's disease because it is more mobile than other leafhoppers that can transmit the bacteria. The insect uses its needle-like mouth to tap into the water-conducting tissues of a plant. In addition to its mobility and its varied food sources, it is dangerous

because of its ability to move a large quantity of plant juices(equivalent to a 150-pound human drinking 4,300 gallons of water a day) through its system in a day. In feeding on plants, the pest can infect them with lethal diseases, such as Pierce's Disease in grapevines.

Because of the Sharpshooter's mobility and voracious feeding habits, the threat is not only to vineyards but also to other crops such as almonds, citrus and peaches. The bacterium *Xyllela fastidiosa* that causes Pierce's Disease also causes serious diseases in other plants that host the Sharpshooter.

The GWSS host list includes more than 100 species of plants. These include commercial crops such as almonds, citrus, peaches, plums, alfalfa and many ornamental plants produced by the state's commercial nursery industry. The combination of Pierce's Disease and a highly mobile vector creates a dynamic and dangerous situation for Californians. Agricultural crops are the most visible and quantifiable targets, but decorative plants, landscaping, highway medians and other non-agricultural plantings are also at risk.

The Sharpshooter threatens native plants, shrubs and trees. The natural habitat of the Glassy-Winged Sharpshooter in the southeastern United States is forest margins. In coastal California and in the Sierra Nevada, riparian woodlands may prove to be suitable habitat for Sharpshooters. As a "generalist" feeder that has expanded its geographic range into new territory, local populations of the Sharpshooter can be expected to progressively adapt to local conditions and to new host plants.



WEB SITES

The Internet offers a wealth of information about the glassy-winged sharpshooter and Pierce's disease. The list of useful sites below provides links to others that you may find helpful in your news coverage.

California Depatment of Food and Agriculture News, information, host lists http://www.cdfa.ca.gov/phpps/pdcp/

California Farm Bureau Federation Information, photos, online media directory www.cfbf.com/issues/gwss

University of California
Information, online media kit, photos
http://danr.ucop.edu/news/MediaKit/GWSS.shtml
www.ucr.edu/news/gwss
www.ucr.edu/news/gwss
http://ucceventura.xlrn.ucsb.edu/IPM/IPMHome.htm

California Almond Board Industry news and information www.almondboard.com

California Association of Winegrape Growers Industry news and information www.cawg.org/news/index.htm

California Department of Pesticide Regulation www.cdpr.ca.gov/docs/counties/caclist.htm

Napa Valley Grape Growers Association Industry News www.napagrowers.org

Wine Institute
Industry news and information
www.wineinstitute.org



Media Contacts

GOVERNMENT

California Dept. of Food and Agriculture

Jay Van Rein CDFA Public Affairs Office

(916) 654-0462

Steve Lyle

CDFA Public Affairs Office

(916) 654-0462

Tom Esser

Pierce's Disease Control Program

Office number 916-322-2804

Cell number 916-799-0285

California Department of Pesticide Regulation

Veda Federighi & Glenn Brank

Public Affairs

(916) 445-3974

California Dept. of Transportation

Press Office

(916) 654-5782

U.S. Dept of Agriculture

Larry Hawkins

Animal and Plant Health Inspection Service

(916) 930-5509

County Agricultural Commissioners

http://www.cdfa.ca.gov/exec/cl/countyagmap.htm (refer to the Web site for listings of specific

counties)



Pierce's Disease Advisory Task Force

The Pierce's Disease Advisory Task Force advises the Secretary of Food and Agriculture on the control and management of Pierce's Disease.

KEVIN ANDREW, CHAIR

Sun World International, Inc. — Bakersfield (661) 392-5002

TED BATKIN

Citrus Research Board — Visalia (559) 738-0246

LARRY BEZARK

California Dept. of Food and Agriculture (916) 654-0768

ROBERT CRUDUP

Valley Crest Tree Company — Calabasas (818) 737-2600

BEN R. DRAKE

Drake Enterprises, Inc. — Temecula (951) 775-5500

SCOTT HUDSON

San Joaquin County Agricultural Commissioner (209) 468-3300

NANCY IRELAN

E & J Gallo Winery — Modesto (209) 341-4424

ANDREW JOHNSON

Beringer Wine Estates — St. Helena (707) 963-7115

JOE MACILVAINE

Paramount Farming Company — Bakersfield (661) 399-4456

RICHARD MOUNTS

Healdsburg (707) 963-2969

STEVE PAVICH

Arizona Desert Vineyard — Arizona (928) 454-2281

CORKY ROCHE

Central Coast PD Task Force — Salinas (831) 455-2675

JOHN SNYDER

Riverside County Agricultural Commissioner (951) 955-3000

BETH STONE-SMITH

USDA-APHIS-PPQ-WR — Arvin (661) 854-6636

KIM WADDELL, PH.D.

American Vineyard Foundation (707) 252-6911

ROBERT WAMPLE, PH.D.

Fresno State University (559) 278-2089

CRAIG WEAVER

Buena Vista Winery — Sonoma (909) 676-4001

ROBERT WEBSTER, PD.D.

University of California, Davis (530) 752-0316

DAVID WHITMER

Napa County Agricultural Commissioner (707) 253-4357



PD/GWSS RESEARCHERS

The following is a list of just some of the researchers who have received research funding from the PD/GWSS assessment.

ELAINE BACKUS

Professor Department of Entomology 1-87 Agriculture Bldg., University of Missouri Columbia, MO 573-882-4264

MATTHEW BLUA

Research Scientist Dept. of Entomology UC Riverside Riverside, CA 909-787-6301 blua@ucrac1.ucr.edu

THOMAS BURR

Professor Cornell University NYSAES Dept. of Plant Pathology Geneva, NY 315-787-2312 tjb1@cornell.edu

DOUGLAS COOK

Associate Professor Department of Plant Pathology University of California Davis, CA 530-754-6489

DON COOKSEY

Professor Department of Plant Pathology UC Riverside 909-787-4115

KENT DAANE

Specialist Kearney Agricultural Center Parlier, CA 559-646-6522

ABHAYA DANDEKAR

Professor Department of Pomology UCD, One Shields Ave. Davis, CA 530-752-7784

JESSE DE LEON

Research Geneticist / Molecular Biologist USDA/ARS/SARC/BIRU 2413 East Hwy 83, Bldg 203 Weslaco, TX 956-969-4856 jhleon@weslaco.ars.usda.gov

BRIAN FREDERICI

Professor Department of Entomology UC Riverside 909-787-5006

THOMAS FREEMAN

Professor Department of Plant Pathology North Dakota State University Fargo, ND 701-231-8234

CARMEN GISPERT

Farm Advisor UCCE Riverside County, Indio Office Indio, CA 760-863-8294

ELIZABETH GRAFTON-CARDWELL

Specialist Kearney Agricultural Center Parlier, CA bethgc@uckac.edu

JENNIFER M. HASHIM

Farm Advisor UCCE Kern County Bakersfield, CA 661-868-6223

BARRY HILL

Associate Plant Pathologist PDP/CDFA 3294 Meadowview Road Sacramento, CA 916-262-1120

RAY HIX

Assistant Professor and Entomologist Florida A & M University 6505 Mahan Road Tallahassee, FL 850-412-5193 Raymond.hix@famu.edu

NATALIE HUMMEL

Doctoral Candidate UC Davis Dept. of Entomology Davis, CA 530-752-0333 nahummel@ucdavis.edu

RANDY HUNT

Professor Dept. of Biology, School of Natural Resources Indiana University South East 4201 Grant Line Rd New Albany, IN

JAMES KAMAS

Professor Texas A & M University 95 Frederick Rd. Fredricksburg, TX 830-997-7047 j-kamas@tamu.edu

HARRY KAYA

Professor University of California Dept. of Nematology Davis, CA 530-752-0998 hkkaya@ucdavis.edu

MAGGI KELLY

Associate Cooperative Extension Specialist UC Berkeley 510-642-7272 mkelly@nature.berkeley.edu

over -



Graduate Student UC Davis 530-759-7858 afkrinavek@ucdavis.edu

CAROL LAUZON

Professor CSU Hayward 25800 Carlos Bee Blvd. Hayward, CA

ROGER LEOPOLD

USDA ARS

Biosciences Research Laboratory University Station Fargo, ND 701-239-1284 Leopold@fargo.ars.usda.gov

STEVEN LINDLOW

Professor Dept. of Plant and Microbial Biology UC Riverside, CA 510-642-4174

ROBERT LUCK

Professor Department of Entomology UC Riverside, CA 909-787-5713

MICHAEL McGuire

Research Leader USDA-ARS, Shafter Research & Extension Center Shafter, CA 661-716-8001

TOM MILLER

Professor University of California 17 Entomology Building Riverside, CA 909-787-3886

RUSS MIZELL

Institute of Food & Agriculture Sciences N. Florida Research & Education Center

University of Florida Quincy, FL 850-875-7156

rfm@gnv.ifas.ufl.edu

KARYN NEWMAN

Postdoctoral Researcher UC Berkeley Dept. of Plant & Microbial Biology

510-643-6498 karyn@nature.berkeley.edu

LEONARD NUNNEY

Professor Department of Biology UC Riverside 909-787-5011

nunney@citrus.ucr.edu

Tom Perring

Professor Department of Entomology

UC Riverside 909-787-4562

ALEXANDER PURCELL

Professor Division of Insect Biology UC Berkeley 510-642-7285 Purcell@nature.berkeley.edu

RICHARD REDAK

Professor Department of Entomology University of California Riverside, CA 909-787-7250 Richard.redak@ucrac1.edu

Bruce Reisch

Professor Cornell University NYS Agricultural Experiment Station Geneva, NY 315-787-2239 b.reisch@cornell.edu

KEN SHACKEL

Professor Department of Pomology UC Davis 530-752-0928

kashackel@ucdavis.edu

VALLEY STEWART

Professor Section of Microbiology

UC Davis

RICHARD STOUTHAMER

Professor Department of Entomology UC Riverside 909-787-2422

NICK TOSCANO

Specialist Department of Entomology UC Riverside 909-787-5826

nik.toscano@ucr.edu

ANDREW WALKER

Professor Department of Viticulture UC Davis 530-752-0902

ED WEBER

Farm Advisor UC Cooperative Extension Napa, CA 707-253-4221 eaweber@ucdavis.edu

FRANK WONG

Assistant Plant Pathologist UC Riverside 951-827-2936 frank.wong@ucr.edu

GLENN YOUNG Assistant Professor UC Davis

530-754-5292

gmyoung@ucdavis.edu

FRANK ZALOM

Lecturer & Extension Agronomist UC Davis 530-752-3687 fgzalom@ucdavis.edu



